

Bidder's Information: The Manager/Director

.....

.....

.....

Dear Sir/Madam

INVITATION TO BID: SCM 02/2021/SANC: APPOINTMENT OF A SERVICE PROVIDER FOR THE RENOVATION OF BATHROOMS AND KITCHENS AT THE SOUTH AFRICAN NURSING COUNCIL.

The South African Nursing Council is a regulatory body established in terms of the Nursing Act No. 33 of 2005 (the Nursing Act) to regulate the nursing profession and to provide for matters connected therewith.

The South African Nursing Council invites bidders to participate and submit bids/proposals for the appointment of a service provider for the renovation of bathrooms and kitchens at the South African Nursing Council.

You are requested to complete the tender documents and submit them in accordance with the stipulations mentioned hereunder.

1. The conditions contained in the attached annexures apply.
2. The bid must be submitted in two (2) separate envelopes with a name and address of the bidder, bid number, description of the bid and closing date.
3. **Envelope 01:** This envelope is for technical/administrative documents only- one (01) original document.
4. **Envelope 02:** This envelope is for pricing only, i.e. pricing schedule and/or the formal quote by the bidder - one (01) original document.
5. **All couriered bid proposals must be addressed to the SANC Supply Chain Management Unit and they must be submitted before 11H30 on 12 March 2021 and will be valid for a period of 120 days after the closing date. No late submissions will be accepted.**

6. The attached forms/annexures, if completed in detail and returned, will form part of your price quotation.
7. Please take note that, this bid will be evaluated in terms of 80/20 Preference Point System
8. **Note: Compulsory briefing session will be held as follows:**
 - 8.1 Date: 24 February 2021
 - 8.2 Time: 10H00
 - 8.3 Venue: Council Chambers at the Cecilia Makiwane Building, 602 Pretorius Street, Arcadia, Pretoria.
9. With reference to the Preference Point Claim form (SBD 6.1), the following documents must be submitted with your price quotation:
 - Proof of claims (B-BBEE Certificate issued by the accredited Verification Agency or Sworn Affidavit signed by the vendor and affirmed by the Commissioner of Oath)
 - Copy (-ies) of ID Document (s)
 - CIP Certificate
10. All communication should be made through the use of an email. The cut-off date for all enquiries will be at **16H30 on 08 March 2021.**

Yours faithfully

Chief Financial Officer

Mr T Ndadana

Signature:

Date: 2021-02-03

INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE SOUTH AFRICAN NURSING COUNCIL.					
Bid number:	SCM 02/2021/SANC	Closing date:	12 MARCH 2021	Closing time:	11H30
Description:	APPOINTMENT OF A SERVICE PROVIDER FOR THE RENOVATION OF BATHROOMS AND KITCHENS AT THE SOUTH AFRICAN NURSING COUNCIL.				
THE SUCCESSFUL BIDDER MAY BE REQUIRED TO SIGN THE SERVICE LEVEL AGREEMENT / CONTRACT					

Bid response documents may be deposited in the bid box situated at (street address)	The South African Nursing Council, No. 602 Pretorius Street Arcadia, Pretoria, 0083, (next to the pedestrian I gate)
---	--

SUPPLIER INFORMATION

Name of bidder:					
Postal address:					
Street address:					
Telephone number:	Code:		Number:		
Cell phone number:					
Facsimile number:	Code:		Number:		
E-mail address:					
VAT registration number:					
Tax clearance status PIN:			CSD NUMBER:		
B-BBEE status level verification certificate [tick applicable box]	<input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE status Level sworn affidavit <input type="checkbox"/> Yes <input type="checkbox"/> No		
If Yes, who was the certificate issued by?					

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMEs& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

The Accredited Representative In South Africa for the goods /services /works offered?	<input type="checkbox"/> Yes <input type="checkbox"/> No [if yes enclose proof]	Are you a foreign based supplier for the goods /services /works offered?	<input type="checkbox"/> Yes <input type="checkbox"/> No [if yes answer part 3 below]
Signature of Bidder:		Date:	
Capacity under which this bid is signed (attach proof of authority to sign this bid; e.g. resolution of directors, etc.)			

Total number of items offered		Total bid price (all inclusive)	
-------------------------------	--	---------------------------------	--

THE SOUTH AFRICAN NURSING COUNCIL:			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
Contact person:	Neo Kabini	Contact person	Tintswalo Nyathi
Telephone number:	012 426 9541	Telephone number	012 426 9570
Facsimile number:		Facsimile number	
E-mail address	nkabini@sanc.co.za	E-mail address	tnyathi@sanc.co.za

TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:	
<p>1.1. Bids must be delivered by the stipulated time to the correct address. Late bids will not be accepted for consideration.</p> <p>1.2. All bids must be submitted on the official forms provided– (not to be re-typed) or online This bid is subject to the Preferential Procurement Policy Framework Act 2000 and the Preferential Procurement Regulations, 2017, and, if applicable, any other legislation or Special Requirement of the Contract.</p>	
2. TAX COMPLIANCE REQUIREMENTS	
<p>2.1 Bidders must ensure compliance with their tax obligations.</p> <p>2.2 Bidders are required to submit their unique personal identification number (PIN) issued by SARS to enable the organ of state to view the taxpayer's profile and tax status.</p> <p>2.3 Application for tax compliance status (TCS) or pin may also be made via e-filing. In order to use this provision, taxpayers will need to register with SARS as e-filers through the website www.sars.gov.za.</p> <p>2.4 Bidders may also submit a printed TCS together with the bid.</p> <p>2.5 In bids where consortia / joint ventures / sub-contractors are involved, each party must submit separate proof of TCS / pin.</p>	
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS:	
3.1. Is the bidder a resident of the Republic of South Africa (RSA)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
3.2. Does the bidder have a branch in the RSA?	<input type="checkbox"/> Yes <input type="checkbox"/> No
3.3. Does the bidder have a permanent establishment in the RSA?	<input type="checkbox"/> Yes <input type="checkbox"/> No
3.4. Does the bidder have any source of income in the RSA?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>If the answer is "no" to all of the above, then, it is not a requirement to obtain a tax compliance status/tax compliance system pin code from the South African Revenue Service (SARS) and if not register as per 2.3 above.</p>	

SPECIAL REQUIREMENT OF QUOTATION:

1. CONTRACT PERIOD:

- 1.1 This is a once off contract for the appointment of a service provider for the appointment of a service provider for the renovation of bathrooms and kitchens at the South African Nursing Council.
- 1.2 SANC reserves the right to extend or cancel the contract, pending available funding and satisfaction with service delivery.

2. ACCEPTABLE BIDS/OFFERS:

- 2.1 The SANC reserves the right to cancel or withdraw the bid without prior notification.
- 2.2 SANC is not obliged to award the quotation to the lowest bidder.
- 2.3 The SANC may request interviews/presentations/pitching sessions with shortlisted bidders before the final selection is made.
- 2.4 The SANC will not be liable for any cost incurred by a service provider in the process of responding to this bid, including on-site presentations and the preparation of the proposal.
- 2.5 The SANC will not consider any late bids. All bids submitted after the stipulated closing date and time will not be considered and it will be sent back to the bidder unopened.
- 2.6 Any effort by the bidder to influence bid evaluation, bid comparisons or bid award decisions in any manner, may result in rejection of the bid concerned.
- 2.7 The successful bidder will be informed in writing of the intent to award or per an official order.
- 2.8 The bid has a validity period of 120 days from date of closure of the bid/tender.
- 2.9 No bid may be awarded to a person who has failed to submit proof of his/her tax compliance status (tax clearance certificate and personal identification number issued by SARS) or any proof certifying that the taxes of that person is in order or that suitable arrangements have been made with SARS,
- 2.10 Where it is discovered that an advantaged company used a disadvantaged person, as a "front" to acquire a Bid, such company will be disqualified and the Bid shall be withdrawn.
- 2.11 Only bids complying with all requirements as stipulated in the Terms of Reference/Scope of Work/Specification will be regarded as acceptable.
- 2.12 The following qualifying criteria must be strictly adhered to and bidders should attach the following documents. **Non-compliance to these criteria will invalidate your bid:**
 - i. Proof of Central Supplier Database (CSD) registration report
 - ii. Provide proof of compliance from Department of Labour (COIDA).
 - iii. Service provider must be registered with the Construction Industry Development Board with a CIDB minimum grading of GB2
 - iv. The service provider must have third party liability insurance.
 - v. Proof of attendance to the compulsory site briefing.
 - vi. A minimum of three (3) reference letters on the client letterhead rendering the same service not older than three (3) years.
- 2.13 Please take note that, should the bidder/tenderer fail to comply with the above matter their offer will be regarded as non-responsive.

3. SUBMISSION OF BIDS:

3.1 Bidders will be required to submit their bids/proposals via email or hand delivered as stipulated below:

3.1.1 Tenderers are required to submit a Completed Bid pack (this documents), including:

- a) Duly completed and signed RFQ documents
- b) Proof of Central Supplier Database (CSD) registration report
- c) B-BBEE certificate or Sworn Affidavit.

3.2 Any bidder who fails to comply with any requirement of the bid may, at the discretion of the Bid Evaluation Committee, be regarded as non-compliant and as a result be rejected.

4. PAYMENTS:

4.1 SANC undertakes to pay delivery validated invoices in full within thirty (30) days from the invoice date or upon agreed payment intervals as accepted in the contract. All invoices should be sent to the following email address: sancinvoices@sanc.co.za.

4.2 No invoices for outstanding deliverables or for any unproductive or duplicated time spent by the service provider will be validated for payment.

4.3 Invoices should be emailed or hand -delivered to SANC timeously.

4.4 The invoices should be original and must be accompanied by an inspection certificate and/or proof of delivery.

5. SUPPLY / DELIVERY VALIDATION:

5.1 The certificate and the related report of delivery/installation/ progress milestone/commissioning will be validated by a SANC representative prior to payment of final invoices.

6. VALUE ADDED TAX:

6.1 All contract prices are inclusive of 15% value added Tax (VAT), except in the case of a person that is not required to register for Value Added Tax. Companies not registered in terms of Value Added Tax, may not claim VAT on invoices.

7. PRICE AND PRICE QUALIFICATION:

7.1 Prices for the contract are firm.

7.2 The bid prices shall be given in the units shown and will be awarded per item.

7.3 Prices must be inclusive of delivery costs and all taxes.

7.4 All prices shall be quoted in the South African currency (ZAR).

7.5 Foreign exchange risk in case of imported goods and service is for the account of the bidder.

7.6 Prices affected by the exchange rate must remain firm for the duration of the validity period.

7.7 No changes or extensions or additional ad-hoc costs are accepted once the contract has been awarded and/or signed.

7.8 Detailed information is optional and is provided as Annexures to the details of the bid.

8. COMMUNICATION:

- 8.1** Communication will only be restricted to Supply Chain Management Officials.
- 8.2** The South African Nursing Council may request clarification in writing regarding the information provided by bidders. Bidders are to supply the required information within the specified period. Failing to do so may **invalidate** your bid.

9. INTELLECTUAL PROPERTY:

- 9.1** All the information contained in this document is intended solely for the purpose of assisting bidders to prepare their bids. Any use of the information contained herein for another purpose than those stated in this document is prohibited.
- 9.2** The ownership and intellectual property rights of all designs, specifications, programming code and all other documentation provided by the SANC to the bidder/tenderer, both successful and unsuccessful, remain the property of the SANC.

10. SUPPLIER DUE DILIGENCE:

- 10.1** SANC may conduct due diligence to all shortlisted bidders/tenderers to identify their specific capabilities and financial stability.
- 10.2** The SANC may visit the premises of the bidders or that of their suppliers.
- 10.3** Some of the key elements that should be documented and included during the comprehensive supplier analysis/due diligence include: the current workload of the supplier, cost structure of the tender/bid, the financial status of the bidder/tenderer, the previous customer satisfaction levels, the support capabilities, their relative strength, weaknesses and core capabilities, how SANC fits into the tenderers/bidders business and how the tenderer/bidder is viewed by the public, etc.
- 10.4** Bidders may be required to provide names of traceable references who may also be visited to confirm their testimonials.

11. DISPUTES

- 11.1** The relevant bidder agrees that should any dispute arise from the contract, the matter shall be submitted to the relevant Bid Adjudication Committee for a ruling and such ruling shall be final

TERMS OF REFERENCE (TOR)

RENOVATION OF BATHROOMS AND KITCHENS AT THE SOUTH AFRICAN NURSING COUNCIL

1. PURPOSE:

- 1.1 The South African Nursing Council hereby invites suitably qualified and experienced bidders to submit proposals and quotations for the renovation of bathrooms and kitchens at the South African Nursing Council (SANC) offices at **No: 602 Pretorius Street, Arcadia, Pretoria 0083, Cecilia Makiwane Building.**

2. BACKGROUND:

- 2.1 The South African Nursing Council is in the process of upgrading the Cecilia Makiwane building. The Facilities Department has initiated a project to renovate the bathroom and kitchen facilities in order to modernize facilities at its offices.

3. SCOPE OF WORK:

- 3.1 The scope of work entails the following:

- Removal of old tiles (floor and wall);
- Supply and installation of tiles (floor and wall);
- Replacement of old metal urinals with modern porcelain (stand-alone) urinals;
- Supply and installation of bathroom and kitchen cabinets;
- Supply and installation of basins with mixer taps;
- Supply and installation of kitchen sinks with mixer taps;
- Supply and installation of kitchen tops;
- Removal of building rubble from site.

NB:

- I. **All bathrooms have mirrors installed, these mirrors shall be removed, stored safely and re-installed once the work is complete.**
- II. **Colour schemes will be discussed with the successful bidder**

4. SPECIFICATION:

- 4.1 **Urinals.** Glazed ceramic urinals of the bowl or stall type shall be of white glazed fireclay or vitreous china. Bowl urinals shall be fitted with 40 mm chromium plated waste union, with flange and domical grating and with spreader with flush pipe connector. Stall urinals shall be fitted with 75 mm chromium plated waste union with flange and hinged domed grating and with spreader with flush pipe connector.
- 4.2 **Wash hand basins.** Wash hand basins shall be of white glazed fireclay or vitreous china of the type and size specified. Basins shall have an integral overflow and be fitted with 32 mm chromium plated waste union with flange and grating, rubber plug on chromium plated brass chain and, where necessary, tap hole stopper cemented in.

- 4.3 **Taps and valves.** Water taps, stopcocks and wheel valves shall be of approved manufacture complying with SABS Specification 226. SP49 Ball valves with brass valve and copper or plastic ball float shall be of approved manufacture complying with SABS Specification 1056. Plastic floats when supplied, must comply with SABS Specification 1006. Gate valves shall be of approved manufacture complying with SABS Specification 664. Valves shall be clockwise closing with non-rising, cap-fitted spindles and flanged connections and of the class specified. Pressure reducing valves shall be of approved manufacture complying with SABS Specification 198.
- 4.4 **Glazed ceramic wall tiles and fittings.** Shall comply with SABS Specification 22 of selected grade, free from defects and blemishes and of uniform colour. Rates are to include for either bedding tiles on and including a solid cement mortar backing consisting of one part cement to three parts sand on brickwork or concrete, or fixed with an approved tile adhesive on and including a coat of cement plaster consisting of one part cement to five parts sand and finished to a surface to receive tiles. Tiles are to have vertical and horizontal joints continuous with all joints solidly flushed up in neat white cement.
- 4.5 **Unglazed ceramic floor tiles and fittings.** Are to be unglazed acid and alkali resistant tiles and fittings of the types specified in the items, and of approved manufacture, uniform in size, shape and colour, free from cracks, twists and other defects and equal to samples to be deposited with and approved by the Project Manager. Floor tiles are to be laid with maximum 10 mm wide joints continuous in both directions on and including a 15 mm thick cement mortar bed consisting of one part cement to three parts sand, unless otherwise specified, to true levels and grades with the joints raked out and grouted up solid and flush pointed with an approved epoxy Jointing compound. Floor tiles are to be set out so as to have no long edges of tiles cut to suit room size.
- 4.6 **Sinks.** Sinks shall be of stainless steel and shall be of the right, left, or centre bowl type, shall have two bowls, and shall comply with the relevant requirements of SANS 242.
- 4.7 **Counter tops.** A composite board top shall have a total thickness of 32 mm and shall be supported over its full length. Tops shall have an appropriate edging (as per SANS 1385:2015). Edgings shall be of uniform thickness, shall be glued to the edge of the board with a water-resistant adhesive and shall be so close fitting that there are no gaps between the edging and the board. Type 2 and type 3 edgings shall, in addition to being glued, be secured by a tongue that fits into a corresponding groove cut centrally along the face of each edge of the composite board and that is pinned to it (from beneath) at 450 mm \pm 10 mm centres with panel pins of sufficient length to penetrate the tongue and pass through it for a distance of approximately 5 mm, into the overlaying board material. Alternatively, a self-tapping screw may be used instead of a panel pin, in which case it shall be screwed in at an angle and in a direction such that once having passed through the tongue into the overlaying board, it draws the edge strip tightly against the face of the edge of the composite board.
- 4.8 **Doors.** Hollow core, semi-solid and solid laminated flush doors are to be of approved manufacture complying with SABS Specification 545. The doors are to be finished on both sides facing veneers specified and concealed on both stiles, unless otherwise specified, with hardwood edge strips and where doors are required to receive a transparent finish, the edge strips are to match the facing veneers. Doors with rebated meeting stiles are to have edge strips to the meeting stiles not less than 19mm thick. Each door or leaf of double door, described as hung to swing, is to be fitted with necessary hardwood reinforcing

blocks for bottom shoe and top centre of spring hinge. Unless otherwise specified, all flush doors are to be interior quality, but, where exterior doors are specified, the glue used must comply with Type WBP of B S 2304.

4.9 Hydroboil. Wall mounted water boiler adhering to the following:

- 5 litres water boiler;
- Size: approximately 318 x 150 x 460;
- Element rating: approximately (1.5kw) per 220 / 230v;
- Designed to operate within 3° c of boiling point with thermal temperature control;
- One way tap control for precision filling cups;
- Fully automatic and steam free;
- Able to deliver between 12 to 15 cups of boiling water at one time;
- Concealed plumbing and electrical connections;
- 1 year guarantee and service;
- All plumbing and electrical work is to be completed in accordance with the relevant SABS and other industry regulations, including health and safety regulations as it is applicable to the installation.

5. GENERAL REQUIREMENTS:

- 5.1 The successful bidder must comply with the Occupational Health and Safety Act of 1993, Act No. 85 of 1993 as amended and other applicable regulations.

6. DEFECT LIABILITY PERIOD AND RETENTIONS:

- 6.1 There shall be a three (3) months defect liability period where the contractor shall repair all (workmanship/quality) defects at their own cost.
- 6.2 10% of the total value of the contract shall be kept by the SANC for the duration of the defect liability period of three (3) months.

7. EXPECTED DELIVERABLES:

- 7.1 Refurbished/upgraded bathrooms and kitchens.

8. COMPULSORY SITE BRIEFING:

- 8.1 There will be a compulsory site briefing on 24 February 2021 at 10:00.

9. EVALUATION PROCESS:

- 9.1 In order to facilitate a fair and transparent selection process that allows equal opportunity to all service providers/companies, the SANC has an SCM policy for the appointment of contractors or consultants that will be adhered to. Proposals will be evaluated in two steps (Administrative Compliance, Price and B-BBEE).

9.2 The following qualifying criteria will be used:

a) Step 1: Administrative Compliance:

- vii. Proof of Central Supplier Database (CSD) registration report
- viii. Provide proof of compliance from Department of Labour (COIDA).
- ix. Service provider must be registered with the Construction Industry Development Board with a CIDB minimum grading of GB2
- x. The service provider must have third party liability insurance.
- xi. Proof of attendance to the compulsory site briefing.
- xii. A minimum of three (3) reference letters on the client letterhead rendering the same service not older than three (3) years.

b) Step 2: Price and B-BBEE:

Bids will be evaluated in terms of the **80/20 Preference Point System (80 points for price and 20 points for B-BBEE)**.

The following formula will be applied to calculate the points for price.

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where:

P_s = Points scored for price of bid under consideration
 P_t = Rand value of bid under consideration
 P_{\min} = Rand value of lowest **acceptable** bid

The following formula will be used to calculate the points for B-BBEE:

Bids from non-compliant B-BBEE contributors will not be disqualified. Any B-BBEE qualifying contributor who does not submit a substantiating certificate will be allocated zero points but the bid will not be disqualified.

Points will be awarded to a tenderer for attaining their B-BBEE status level of contributor in accordance with the table below:

B-BBEE Status Level of contributor	Number of Points (90/10 system)	Number of Points (80/20 system)
1	10	20
2	9	18
3	8	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant Contributor	0	0

10. PAYMENT STRUCTURE:

- 10.1 SANC undertakes to pay delivery validated invoices in full within thirty (30) days from the monthly invoice date or upon agreed payment intervals as accepted in the contract.
- 10.2 No invoices for outstanding deliverables or for any unproductive or duplicated time spent by the bidders will be validated for payment.
- 10.3 Invoices should be emailed to sancinvoices@sanc.co.za or hand delivered.
- 10.4 The invoices should be original and must be accompanied by an inspection certificate and/or proof of delivery.

PRICING SCHEDULE

Item No.	Description	Unit	Quantity	Unit Price (Excl. VAT)	Total Price (Excl. VAT)
1	Ground floor				
1.1	Ground floor (small) Male bathroom				
1.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	11		
1.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	29		
1.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	1		
1.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
1.1.5	<u>Bathroom top:</u> 1000 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
1.1.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	1		
1.2	Ground floor (small) Female bathroom				

1.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	8		
1.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	25		
1.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	1		
1.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
1.2.5	Bathroom top: 1000 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
1.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	1		
1.3	Male Toilet				
1.3.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	20		

1.3.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	40		
1.3.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
1.3.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
1.3.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
1.3.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inletspreader and hanger brackets with dividers in the middle	No	2		
1.3.7	Removal of old Urinal	No	1		
1.3.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	2		
1.4	Female Toilet				
1.4.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
1.4.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		

1.4.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
1.4.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
1.4.5	Bathroom top: 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
1.4.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
1.5	Disabled Toilet				
1.5.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	5		
1.5.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	19		
1.5.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	1		
1.5.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
1.5.5	Doors. Supply and install class 4 wooden interior door in accordance with SANS 545	No	1		

1.5.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	1		
2	First Floor				
2.1	Male Toilet				
2.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	20		
2.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	40		
2.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
2.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
2.1.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
2.1.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inlet spreader and hanger brackets with dividers in the middle	No	2		
2.1.7	Removal of old Urinal	No	1		
2.1.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	2		

2.2	Female Toilet				
2.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
2.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		
2.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
2.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
2.2.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
2.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
2.3	Kitchen				
2.3.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
2.3.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		

2.3.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	5		
2.3.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	22		
2.3.5	<u>Kitchen top:</u> 1800 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
2.3.6	Connection of hot water tap to hydroboil	No	1		
2.3.7	Microwave stand: minimum size 520mm (W) x 360mm (H) x 450mm (D).	No	1		
3	Second Floor				
3.1	Male Toilet				
3.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	20		
3.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	40		

3.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
3.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
3.1.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post- formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
3.1.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inlet spreader and hanger brackets with dividers in the middle	No	2		
3.1.7	Removal of old Urinal	No	1		
3.1.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	2		
3.2	Female Toilet				
3.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
3.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		
3.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		

3.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
3.2.5	Bathroom top: 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
3.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
3.3	Kitchen				
3.3.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
3.3.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
3.3.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	5		
3.3.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	22		
3.3.5	Kitchen top: 1800 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
3.3.6	Connection of hot water tap to hydroboil	No	1		
3.3.7	Microwave stand: minimum size 520mm (W) x 360mm (H) x 450mm (D).	No	1		
4	Third Floor				

4.1	Male Toilet				
4.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	20		
4.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	40		
4.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
4.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
4.1.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
4.1.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inlet spreader and hanger brackets with dividers in the middle	No	2		
4.1.7	Removal of old Urinal	No	1		
4.1.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	2		
4.2	Female Toilet				

4.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
4.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		
4.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
4.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
4.2.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
4.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
4.3	Kitchen				
4.3.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
4.3.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		

4.3.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	5		
4.3.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	22		
4.3.5	<u>Kitchen top:</u> 1800 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
4.3.6	Connection of hot water tap to hydroboil	No	1		
4.3.7	Microwave stand: minimum size 520mm (W) x 360mm (H) x 450mm (D).	No	1		
4.4	Second kitchen				
4.4.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
4.4.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
4.4.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	9		

4.4.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	26		
4.4.5	<u>Kitchen top</u> : 1800 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	2		
4.4.6	Connection of hot water tap to hydroboil	No	1		
4.5	Second male bathroom				
4.5.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	10		
4.5.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	30		
4.5.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	1		
4.5.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
4.5.5	<u>Bathroom top</u> : 950 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
4.5.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	1		

4.5.7	Supply and install a shower unit complete with shower nozzle and shower door	No	1		
4.6	Second female toilet				
4.6.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	10		
4.6.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	30		
4.6.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	1		
4.6.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
4.6.5	Bathroom top: 950 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
4.6.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	1		
4.6.7	Supply and install a shower unit complete with shower nozzle and shower door	No	1		
4.7	Serving Point				

4.7.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
4.7.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
4.7.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	11		
4.7.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	22		
4.7.5	<u>Kitchen top</u> : 5200 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight. Allow for a swing door for access	No	1		
4.7.6	<u>Kitchen top (with lockable doors)</u> : 1550 x 600 x 900mm from the ground x 32mm thick post-formed formica work top with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		
4.7.7	<u>Kitchen cupboard (with lockable doors)</u> : 1550 x 600 x 900mm with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		
5	Fourth Floor				

5.1	Male Toilet				
5.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m²	20		
5.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m²	40		
5.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
5.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
5.1.5	<u>Bathroom top:</u> 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
5.1.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inlet spreader and hanger brackets with dividers in the middle	No	2		
5.1.7	Removal of old Urinal	No	1		
5.1.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	2		
5.2	Female Toilet				

5.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
5.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		
5.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
5.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
5.2.5	<u>Bathroom top</u> : 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
5.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
5.3	Kitchen				
5.3.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
5.3.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		

5.3.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	5		
5.3.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	22		
5.3.5	<u>Kitchen top:</u> 1800 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
5.3.6	Connection of hot water tap to hydroboil	No	1		
5.3.7	Microwave stand: minimum size 520mm (W) x 360mm (H) x 450mm (D).	No	1		
5.4	CEO's bathroom				
5.4.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	4		
5.4.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	17		
5.4.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole,	No	1		

	bolted to wall and height to be 950mm above floor level to rim				
5.4.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
5.4.5	<u>Bathroom Cupboard:</u> 2100 x 600 x 900mm high x 32mm thick post-formed formica work top with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		
6	Fifth Floor				
6.1	Male Toilet				
6.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	20		
6.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	40		
6.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
6.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		

6.1.5	Bathroom top: 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
6.1.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inlets preader and hanger brackets with dividers in the middle	No	2		
6.1.7	Removal of old Urinal	No	1		
6.1.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	2		
6.2	Female Toilet				
6.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
6.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		
6.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
6.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		
6.2.5	Bathroom top: 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		

6.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
6.3	Kitchen				
6.3.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	5		
6.3.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	22		
6.3.3	<u>Kitchen top (with lockable doors):</u> 2600 x 600 x 900mm from the ground x 32mm thick post-formed formica work top with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		
6.3.4	<u>Kitchen cupboard (with lockable doors):</u> 2600 x 600 x 900mm with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		
6.4	Serving Point				
6.4.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		

6.4.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
6.4.3	<u>Kitchen top</u> : 2600mm x 830mm x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
6.4.4	<u>Kitchen cupboard/Shelving (with lockable doors)</u> : 3000mm (wide) x 2100mm (high) x 600mm (depth) with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		
7	Sixth Floor				
7.1	Male Toilet				
7.1.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	11		
7.1.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	33		
7.1.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
7.1.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		

7.1.5	Bathroom top: 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
7.1.6	Urinals: supplied with back inlet wall hung urinal, supplied with 38mm CP domical grating, back inlet spreader and hanger brackets with dividers in the middle	No	1		
7.1.7	Removal of old Urinal	No	1		
7.1.8	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	1		
7.1.9	Doors. Supply and install class 4 wooden interior door in accordance with SANS 545	No	1		
7.1.10	Supply and install class 4 wooden interior door in accordance with SANS 545	No	1		
7.2	Female Toilet				
7.2.1	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	14		
7.2.2	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	34		
7.2.3	Basin: 510 x 400mm Vitreous china "Daisy" basin with one taphole, integrated overflow and chainstay hole, bolted to wall and height to be 950mm above floor level to rim	No	2		
7.2.4	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	2		

7.2.5	Bathroom top: 1740 x 600 x 900mm from the ground x 32mm thick post-formed formica work top, Installed with support. (to prevent it from collapsing under its own weight.	No	1		
7.2.6	Toilet Seats: Supply and replace medium duty toilet seat, Water resistant and Scratch proof.	No	3		
7.2.7	Supply and install a shower unit complete with shower nozzle and shower door	No	1		
7.2.8	Doors. Supply and install class 4 wooden interior door in accordance with SANS 545	No	1		
7.3	Kitchen				
7.3.1	Kitchen Sink: 1160 x 460mm Type 1990002 NVN621 Nouveau sink with two end bowls on cupboard (cupboard elsewhere)	No	1		
7.3.2	Mixer tap: Medical elbow-action, pillar-type mixer, chrome. SANS 226	No	1		
7.3.3	Floor tiles (Price must include the cost of removing existing tiles): 300 x 300 x 8.5mm full bodied Slip Resistant porcelain tiles fixed on 19mm bedding on screed and flush pointed with "TAL SUREPROOF" waterproof jointing compound, "TAL GOLD STAR 6" adhesive and "TAL FINE EPOXY GROUT"	m ²	60		
7.3.4	Wall tiles (Price must include the cost of removing existing tiles): 200 x 200 x 5mm white matt glazed ceramic tiles fixed with "TAL Professional" tile adhesive to plaster	m ²	1		
7.3.5	Kitchen top: 2000 x 600 x 900mm high x 32mm thick post-formed formica work top with 16mm melawood carcassing and 22mm melawood shelving with 3mm PVC edging and 111mm anodized silver aluminium D pull handle with bolt through fixing and concealed hinges, etc.	No	1		

7.3.6	Supply and install a hydroboil (wall mounted water boiler)	No	1		
7.3.7	Microwave stand: minimum size 520mm (W) x 360mm (H) x 450mm (D).	No	1		
7.3.8	Painting of walls: Decorative High Gloss Enamel paint in accordance with SANS 630	m ²	70		
8	Removal of building rubble from site (to be disposed)	Lump sum	1		
Total (Excl. VAT)				R	
VAT				R	
Total (Incl. VAT)				R	

Required by (End-User):

Facilities Section

Required at (Address):

602 Cecilia Makiwane Building

Brand and model (if applicable):

N/A.....

Country of origin (if applicable):

N/A.....

Guarantee period (if applicable):

N/A.....

Does the offer comply with the specification?

☐ Yes

☐ No

☐ N/A

***Mark the relevant block with an X**

If not to specification, indicate deviation(s)

N/A.....

How long it will take for the bidder to deliver goods/services after receipt of a purchase order? (Only firm delivery period will be considered):

.....

BIDDERS MUST TAKE NOTE OF THE FOLLOWING:

- Offers to be valid for **120 days** from the closing date of the bid.
- Prices for the contract are firm.
- The bid prices shall be given in the units shown and will be awarded per item.
- Prices must be inclusive of delivery costs and all taxes.**
- All prices shall be quoted in the South African currency (ZAR).
- Foreign exchange risk in case of imported goods and service is for the account of the bidder.
- Prices affected by the exchange rate must remain firm for the duration of the validity period.
- No changes or extensions or additional ad-hoc costs are accepted once the contract has been awarded and/or signed.
- Detailed information is optional and is provided as Annexures to the details of the bid.

DECLARATION BY THE BIDDER:

Iconfirm that the information furnished is correct and true. I accept that the South African Nursing Council May act against me should this declaration prove to be false.

Name of Bidder:.....Position:.....

Signature:.....Date:.....

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE SPECIAL REQUIREMENTS OF QUOTATION, DEFINITIONS, AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 The value of this bid is estimated to **not exceed** R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable; or

1.3 The 80/20 preference point system will be applicable to this tender.

1.4 Points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contributor.

1.5 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

1.6 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.7 The Purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;

- (c) **“bid”** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **“EME”** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **“functionality”** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) **“prices”** include all applicable taxes less all unconditional discounts;
- (h) **“proof of B-BBEE status level of contributor”** means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) **“QSE”** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for a price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s	=	Points scored for the price of a bid under consideration
P_t	=	Price of a bid under consideration
P_{\min}	=	Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

- 4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

5.1.1 B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED:

B-BBEE Status Level of Contributor: = (Maximum of 20 points)

(Points claimed must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by the relevant proof of B-BBEE status level of the contributor.

5.1.2 SUB-CONTRACTING

- i) Will any portion of the contract be sub-contracted? ☐ Yes ☐ No
(Tick applicable box)

- ii) If yes, indicate:

- What percentage of the contract will be subcontracted.....%
- The name of the sub-contractor.....
- The B-BBEE status level of the sub-contractor.....
- Whether the sub-contractor is an EME or QSE. ☐ Yes ☐ No

(Tick applicable box)

- Specify, by ticking the appropriate box, if your company will subcontract with any other enterprise in terms of Preferential Procurement Regulations, 2017, as per the table below :

Designated Group: An EME or QSE which is at least 51% owned by:

EME	QSE
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Black people
Black people who are youth
Black people who are women
Black people with disabilities
Black people living in rural or underdeveloped areas or townships
Cooperative owned by black people
Black people who are military veterans

OR

Any EME
Any QSE

5.1.3 DECLARATION WITH REGARD TO COMPANY/FIRM

5.1.3.1 Name of company/firm:

5.1.3.2 VAT registration number:

5.1.3.3 Company registration number:

5.1.3.4 TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium

One person business/sole propriety

Close corporation

Company

(Pty) Limited

[TICK APPLICABLE BOX]

5.1.3.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....
.....

5.1.3.6 COMPANY CLASSIFICATION

Manufacturer

Supplier

Professional service provider

Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

5.1.3.7 A total number of years the company/firm has been in business:

5.1.3.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE Status Level of Contributor indicated in paragraph 5.1.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) In the event of a contract being awarded as a result of points claimed, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;

If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of the contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –

- (a) disqualify the person from the bidding process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favorable arrangements due to such cancellation;
- (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not

- (e) exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (f) Forward the matter for criminal prosecution.

Signatures of the bidder (): _____ Date: _____

Witnesses: (01) _____ (02) _____

DECLARATION OF INTEREST:

<p>1. Any legal person, including persons employed by the SANC, or persons having a kinship with persons employed by the SANC, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes a price quotation, advertised competitive bid, limited bid or proposal). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the SANC, or to persons connected with or related to them, it is required that the bidder or his/her authorized representative declare his/her position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest, where –</p> <ul style="list-style-type: none"> - the bidder is employed by the SANC; and/or - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid. 	
<p>2. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.</p>	
2.1 Full names of bidder or his/her representative:	
2.2 Identity number:	
2.3 Position occupied in the company (Director, trustee, shareholder)	
2.4 Registration number of the company, enterprise, close corporation, partnership agreement or trust:	
2.5 Tax Reference Number:	
2.6 VAT Registration Number:	
2.7 Are you or any person connected with the bidder/tenderer, presently employed by SANC? If so furnish particulars as an attached schedule:	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.8 Are you or any person connected with the bidder presently employed by the SANC? If so furnish particulars as an attached schedule.	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.9 If you are presently employed by the SANC, did you obtain the appropriate authority to undertake remunerative work outside employment? If yes, did you attach proof of such authority to the bid document? If no, furnish the reasons for non-submission of such proof as an attached schedule.	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.10 Did you or your spouse, or any of the company's directors/shareholders/members or their spouses conducted business with the SANC in the past twelve (12) months? If so furnish particulars as an attached schedule.	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.11 Do you or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by SANC and who may be involved with the evaluation and/or adjudication of this tender/bid? If so furnish particulars as an attached schedule.	<input type="checkbox"/> Yes <input type="checkbox"/> No
2.12 Are you or any person connected with the bidder, aware of any relationship (family, friend, other) between the bidder and any person employed by SANC who may be involved with the evaluation	<input type="checkbox"/> Yes <input type="checkbox"/> No

and/or adjudication of this bid? If so, furnish particulars as an attached schedule.	
2.13 Do you or any of the directors/shareholders/ members of the company have any interest in any other related companies whether or not they are bidding for this contract? If so, furnish particulars as an attached schedule.	<input type="checkbox"/> Yes <input type="checkbox"/> No

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES:

1. This Standard Bidding Document must form part of all bids invited.
2. It serves as a declaration to be used by institutions in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
3. The bid of any bidder may be disregarded if that bidder or any of its directors have-
 - a. Abused the institution's supply chain management system;
 - b. Committed fraud or any other improper conduct in relation to such system; or
 - c. Failed to perform on any previous contract.
4. **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's database as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website (www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the page.	Yes	No
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on National Treasury's website, (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court outside of the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		
4.4	Was any contract between the bidder and any organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.4.1	If so, furnish particulars:		

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

CERTIFICATE OF INDEPENDENT BID DETERMINATION:

I, the undersigned, in submitting the accompanying bid: **APPOINTMENT OF A SERVICE PROVIDER FOR THE RENOVATION OF BATHROOMS AND KITCHENS AT THE SOUTH AFRICAN NURSING COUNCIL** in response to the invitation for the bid made by: **THE SOUTH AFRICAN NURSING COUNCIL (SANC)** do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) Has been requested to submit a bid in response to this bid invitation;
 - (b) Could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) Provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) Prices;
 - (b) The geographical area where product or service will be rendered (market allocation)
 - (c) Methods, factors or formulas used to calculate prices;
 - (d) The intention or decision to submit or not to submit, a bid;
 - (e) The submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) Bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting

business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....

Signature

.....

Date

.....

Position

.....

Name of Bidder